

Door Schedule														
Level	Number	To Room Name	Width	Height	Thickness	DOOR	Material	Finish	Frame	Fire Rating	TRR	Exit	Security	Comments
Level 2	P2-5A	STAIR A	915	2134	45	B	MTL	PT	HM	90	-	CLSD	EDLD	-
Level 2	P2-5B	STAIR B	915	2134	44	B	MTL	PT	HM	90	-	TRR	CLSD	EDLD
Level 2	P2-5C	CORRIDOR	915	2134	45	G	ALUM	PT	ALUM	0	-	-	-	DO 0 Hour Smoke Separation
Level 2	P2-5D	ELEVATOR LOBBY	915	2134	45	B	MTL	PT	HM	90	-	CLSD	EDLD	CR DC ES
Level 2	P2-5E	STAIR C	915	2134	45	G	ALUM	PT	ALUM	0	-	-	-	DO 0 Hour Smoke Separation
Level 2	P2-5F	GARAGE INTAKE	915	2134	44	A	MTL	PT	HM	90	-	-	-	
Level 2	P2-5G	STAIR D	915	2134	45	G	ALUM	PT	ALUM	0	-	-	-	
Level 2	P2-5H	CHILLER RM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5I	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5J	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5K	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5L	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5M	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5N	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5O	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5P	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5Q	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5R	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5S	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5T	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5U	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5V	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5W	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5X	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5Y	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 2	P2-5Z	MECH. ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 1	P1-5A	STAIR A	915	2134	44	B	MTL	PT	HM	90	-	TRR	CLSD	EDLD
Level 1	P1-5B	STAIR B	915	2134	44	B	MTL	PT	HM	90	-	TRR	CLSD	EDLD
Level 1	P1-5C	CORRIDOR	915	2134	45	G	ALUM	PT	ALUM	0	-	-	-	DO 0 Hour Smoke Separation
Level 1	P1-5D	REIDENTIAL STORAGE	915	2134	45	A	MTL	PT	HM	90	-	-	-	
Level 1	P1-5E	CONDU OCCU / SECURITY RM	915	2134	45	A	MTL	PT	HM	90	-	-	-	
Level 1	P1-5F	TRINEL COU RM	915	2134	45	A	MTL	PT	HM	90	-	-	-	
Level 1	P1-5G	BIKE STOR	915	2134	45	A	MTL	PT	HM	90	-	-	-	
Level 1	P1-5H	WATER / FIRE PROTECTION ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 1	P1-5I	VEST	915	2134	44	B	MTL	PT	HM	90	-	-	-	
Level 1	P1-5J	BIKE STORAGE	915	2134	44	A	MTL	PT	HM	90	-	-	-	
Level 1	P1-5K	VEST	915	2134	45	B	MTL	PT	HM	90	-	-	-	
Level 1	P1-5L	VEST	915	2134	45	B	MTL	PT	HM	90	-	-	-	
Level 1	P1-5M	BIKE STOR	915	2134	45	A	MTL	PT	HM	90	-	-	-	
Level 1	P1-5N	GENERATOR ROOM	1830	2134	45	A1	MTL	PT	HM	90	-	-	-	
Level 1	P1-5O	VEST	915	2134	45	B	MTL	PT	HM	90	-	-	-	
Level 1	P1-5P	PARKING	915	2134	45	A	MTL	PT	HM	90	-	-	-	
Level 1	P1-5Q	PARKING	915	2134	45	A	MTL	PT	HM	90	-	-	-	
Level 1	P1-5R	STAFF ROOM	915	2134	45	B	MTL	PT	HM	90	-	-	-	Avoid etched glass in door and sidelight. Door in 2 hour sprinklered assembly.
Level 1	P1-5S	STAFF WASHROOM	915	2134	45	A	MTL	PT	HM	90	-	-	-	
Level 1	P1-5T	PARKING	915	2134	44	A	MTL	PT	HM	90	-	-	-	
Level 1	P1-5U	ELEVATOR LOBBY	915	2134	45	B	MTL	PT	HM	90	-	-	-	Door in 2 hour sprinklered window assembly
Level 1	P1-5V	PARKING	6000	2590	76	R	RB	PT	HM	90	-	-	-	High Speed Roll Up Door
Level 1	P1-5W	PARKING	915	2134	45	G	MTL	PT	HM	90	-	-	-	Intercom Entry System
Level 1	1-SA-1	VEST	915	2135	45	A1	ALUM	PT	ALUM	90	-	-	-	DO NS WS
Level 1	1-SA-2	STAIR A	915	2134	45	B	MTL	PT	HM	90	-	-	-	
Level 1	1-SA-3	STAIR B	915	2134	45	B	MTL	PT	HM	90	-	-	-	
Level 1	1-SB	STAIR B	915	2134	45	A	ALUM	PT	ALUM	0	-	-	-	INS WE Door operator activated by fire alarm system (see M&E Drawing)
Level 1	1-SF	STAIR F	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SG	STAIR G	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SH	EXTERIOR	915	2125	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SI	STAIR I	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SJ	STAIR J	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SK	STAIR K	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SL	STAIR L	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SM	STAIR M	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SN	STAIR N	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SO	STAIR O	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SP	STAIR P	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SQ	STAIR Q	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SR	STAIR R	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SX	STAIR X	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SY	STAIR Y	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-SZ	STAIR Z	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-131	CORR A	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-132	CORR B	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-133	CORR C	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-134	CORR D	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-135	CORR E	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-136	CORR F	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-137	CORR G	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-138	CORR H	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-139	CORR I	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-140	CORR J	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-141	CORR K	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-142	CORR L	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-143	CORR M	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-144	CORR N	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-145	CORR O	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-146	CORR P	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-147	CORR Q	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-148	CORR R	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-149	CORR S	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-150	CORR T	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-151	CORR U	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-152	CORR V	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-153	CORR W	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-154	CORR X	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-155	CORR Y	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-156	CORR Z	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-157	CORR AA	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-158	CORR AB	915	2145	45	A	ALUM	PT	ALUM	-	-	-	-	CLSD EDLD DC
Level 1	1-159	CORR AC	915	2145	45	A	ALUM	PT	ALUM					