



5TH FLOOR FRAMING PLAN

SCALE 1 : 100

- TOP OF SLAB IS AT ELEVATION AS SHOWN ON ARCH. DRAWINGS EXCEPT AS CROSSED AND NOTED ON PLAN.
- CONCRETE STRENGTH AT 28 DAYS SHALL BE:
 FOR WALLS AND COLUMNS SEE SCHEDULE
 FOR EXT. SLABS 35 MPa
 FOR INTERIOR SLABS 25 MPa
 FOR BEAMS 35 MPa
 CONCRETE EXPOSED TO ELEMENTS SHALL BE 35 MPa WITH 6% TO BE ENTRAINED AIR.
- FLOOR SLABS ARE DESIGNED FOR FOLLOWING LOADING CONDITIONS :

	S.I.D.	LL
STAIRS & BALCONIES	0.50 KPa	4.80 KPa
LOCKERS & STORAGE	1.30 KPa	4.80 KPa
RESIDENTIAL	1.3 KPa	1.9 KPa
TOILETS	1.30 KPa	2.40 KPa
TERRACES	5.0 KPa	4.80 KPa

- MINIMUM YIELD STRESS FOR REINFORCING STEEL SHALL BE 400 MPa.
- TEMPERATURE REINFORCING FOR : 200 SLAB IS 10B250, 230 SLAB IS 10B230.
- NO OPENINGS LARGER THAN 300mm x 300mm ARE ALLOWED IN SLAB OTHER THAN THOSE SHOWN ON DRAWINGS.
- SEE TYPICAL DETAILS ON DRAWINGS S-001 TO S-005.
- SEE GENERAL NOTES ON DRAWING S-001.
- REFER TO ARCH. DRAWINGS FOR SLOPES OF SLAB.
- FOR COLUMN & WALL SCHEDULE SEE DRAWINGS S-301 TO S-306.
- COORDINATE BEAM DEPTH AT DOOR OPENINGS WITH ARCH. DRAWINGS.
- EXTEND TEMP. REINF. TO END OF BALCONIES/OVERHANGS.
- TOP BARS TERMINATING AT EDGE OF SLAB TO HAVE 180° HOOK.

5TH FLOOR BEAM SCHEDULE (fc'=35MPa)

MARK	WIDTH	DEPTH	REINFORCEMENT		STIRRUPS			REMARKS
			BOTTOM	TOP	SIZE	TYPE	SPACING EACH END	
			CONT.	CONT. "A" BARS				
BM-1	500	500						

Jablonsky, Ast and Partners CONSULTING ENGINEERS
 1128 LESLIE STREET
 DON MILLS, ON, M3C 2G5
 TEL: 416-447-7400
 FAX: 416-447-7771
 E-mail: info@japinc.com



IMPERIAL SCALE DRAWING
 FIRST FLOOR ELEV. 93.60m

NO.	ISSUED / REVISION	DATE
1	ISSUED FOR PERMIT	2014-03-26
2	RESUBMITTED FOR PERMIT	2014-07-10

ALEXANDRA PARK - BLOCK 11
 TORONTO, ONTARIO

PROJECT NO: 13015
 SCALE: 1:100
 DRAWN BY: H.W. HOUSMAN
 REVIEWED BY: H.W. HOUSMAN
 DATE STARTED: MARCH 2014

5TH FLOOR FRAMING PLAN