


9TH FLOOR FRAMING PLAN
SCALE 1:100

- TOP OF SLAB IS AT ELEVATION AS SHOWN ON ARCH. DRAWINGS EXCEPT AS CROSSED AND NOTED ON PLAN.
- CONCRETE STRENGTH AT 28 DAYS SHALL BE:
FOR WALLS AND COLUMNS SEE SCHEDULE FOR EXIST. SLABS 33 MPa
FOR EXIST. SLABS 33 MPa
FOR BEAMS 35 MPa
CONCRETE CURED TO STRENGTH SHALL BE 33 MPa WITH 6% TO BE OBTAINED AS
- FLOOR SLABS ARE DESIGNED FOR FOLLOWING LOADING CONDITIONS:

	S.L.D.	L.L.
STAIRS & BALCONIES	0.50 KPa	4.50 KPa
LOOKERS & STORAGE *	1.50 KPa	4.50 KPa
RESIDENTIAL	1.50 KPa	1.9 KPa
TOILETS	1.50 KPa	2.40 KPa
TERMINALS	5.0 KPa	4.50 KPa



- MINIMUM YIELD STRESS FOR REINFORCING STEEL SHALL BE 400 MPa.
- TEMPERATURE REINFORCING FOR: 200 SLAB IS 100% 20. IN SLAB OTHER THAN THOSE SHOWN ON DRAWINGS.
- NO ORNISHS LARGER THAN 30mm x 30mm ARE ALLOWED.
- SEE TYPICAL DETAILS ON DRAWINGS S-001 TO S-006.
- SEE GENERAL NOTES ON DRAWINGS S-001.
- REFER TO ARCH. DRAWINGS FOR SLOPES OF SLAB.
- FOR COLUMN & WALL SCHEDULE SEE DRAWINGS S-010 TO S-016.
- CORRODATE BEAM DEPTH AT DOOR OPENINGS WITH ARCH. DRAWINGS.
- EXTEND TOP REIN. TO END OF BALCONIES/PERIMERS.
- TOP BARS TERMINATING AT EDGE OF SLAB TO HAVE 180° HOOK.

ALEXANDRA PARK - BLOCK 11
TORONTO, ONTARIO

Joblonsky, Asif
and
Partners
ENGINEERS
500 BAYVIEW AVE. SUITE 200
SCARBOROUGH, ONTARIO M1B 2Y5
Tel: 416-441-2727
Fax: 416-441-2727
E-mail: info@joblonsky.com

PROJ. NO. 11-00
DATE: 11/00
DESIGNED BY: M.M. MOHAMMAD
CHECKED BY: M.M. MOHAMMAD
DATE: MARCH 2014

FIRST FLOOR ELEV. 80.00m

NO.	REVISION	DATE
1	ISSUED FOR PERMIT	2014/03/04
2	REVISED FOR COMMENTS	2014/03/04
3	REVISED FOR COMMENTS	2014/03/04
4	REVISED FOR COMMENTS	2014/03/04
5	REVISED FOR COMMENTS	2014/03/04
6	REVISED FOR COMMENTS	2014/03/04
7	REVISED FOR COMMENTS	2014/03/04
8	REVISED FOR COMMENTS	2014/03/04
9	REVISED FOR COMMENTS	2014/03/04
10	REVISED FOR COMMENTS	2014/03/04
11	REVISED FOR COMMENTS	2014/03/04
12	REVISED FOR COMMENTS	2014/03/04
13	REVISED FOR COMMENTS	2014/03/04
14	REVISED FOR COMMENTS	2014/03/04
15	REVISED FOR COMMENTS	2014/03/04
16	REVISED FOR COMMENTS	2014/03/04
17	REVISED FOR COMMENTS	2014/03/04
18	REVISED FOR COMMENTS	2014/03/04
19	REVISED FOR COMMENTS	2014/03/04
20	REVISED FOR COMMENTS	2014/03/04