COLUMN & WALL SCHEDULE

COL. No. / DATA	f'c	M 2	M 3	M 4	M 9	Lx.6–Lx.13	M 12	M 13	Mx.6–Mx.13	N 2	N 3	N 5	N 10	N 12	N 13	N.3–Nx.3	Q 3	Ny 3z	COL. No. / DATA
UPPER ROOF																			UPPER ROOF
4150 PENTHOUSE																			4350 PENTHOUSE
3370 14TH FLOOR		450x450 8–20	300x600 6–20	300x600 6–20	300x600 6–20		300x600 6–20	450x450 8–20		450x450 8–20	300x600 6–20	300x600 6–20	300x600 6–20	300x600 6–20	450x450 8–20				3470 14TH FLOOR
3250 13TH FLOOR																			3250 13TH FLOOR
2950 12TH FLOOR																			2950 12TH FLOOR
3050 11TH FLOOR																			3050 11TH FLOOR
2950 10TH FLOOR		450x450 8–20	300x600 6–20	300x600 6–20	300x600 6–20		300x600 6–20	450x450 8–20					300x600 6–20	300x600 6–20	450x450 8–20				2950 10TH FLOOR
		M.2–M.3z					M.10x–M.13						N.6–N.13						
		200 WALL		BEAM			200 WALL						200 WALL						
3050 9TH FLOOR	f'c=30 MPa	ADD 4–20 VEE ▲					ADD 4–20 VEE ▲						ADD 4–20 VEE ▲						3050 9TH FLOOR
2950 8TH FLOOR		200 WALL ADD 4–20 VEE ▲					200 WALL ADD 4–20 VEE ▲						200 WALL ADD 4–20 VEE ▲						2950 8TH FLOOR
2950 7TH FLOOR							200 WALL ADD 4–20 VEE ▲						200 WALL ADD 4–20 VEE ▲						2950 7TH FLOOR
2950 6TH FLOOR							200 WALL 10@200 HEF 10@300 VEF ADD 4–20H@ T&B ADD 4–20 VEE ▲			450x450 8–20	300x600 6–20	300x600 6–20	200 WALL ADD 4–20 VEE ▲			250 WALL ADD 4–20 VEE ▲		300x600 6–20 Nx.3z–Q.3z	2950 6TH FLOOR
						SLAB	SLAB	SLAB											
3050 5TH FLOOR						200 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲			200 WALL ADD 4–20 VEE ▲			250 WALL ADD 4–20 VEE ▲	250x600 6–20	200 WALL ADD 4–20 VEE ▲	3050 5TH FLOOR
2790 4TH FLOOR		200 WALL ADD 4–20 VEE ▲				200 WALL 15@300 HEF 10@300 VEF ADD 4–25H@ TOP ADD 4–20 VEE ▲		200 WALL 15@300 HEF 10@300 VEF ADD 4–25H@ TOP ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲			200 WALL 15@250 HEF 10@300 VEF ADD 4–25H@ TOP ADD 4–20 VEE ▲			250 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲	2790 4TH FLOOR
2790 3RD FLOOR		200 WALL ADD 4–20 VEE ▲				200 WALL 15@300 HEF 10@300 VEF ADD 4–25H@ BOT ADD 4–25 VEE ▲		200 WALL 15@300 HEF 10@300 VEF ADD 4–25H@ BOT ADD 4–25 VEE ▲		300 WALL ADD 4–25 VEE ▲	300 WALL ADD 4–25 VEE ▲		200 WALL 15@250 HEF 10@300 VEF ADD 4–25H@ TOP ADD 4–25 VEE ▲	200 WALL 15@250 HEF 10@300 VEF ADD 4–25H@ BOT ADD 4–25 VEE ▲		250 WALL ADD 4–25 VEE ▲		200 WALL 10@200 HEF 10@200 VEF ADD 4–20H @ TOP ADD 4–25 VEE ▲	2790 3RD FLOOR
						SLAB		BEAM						BEAM					
3250 2ND FLOOR		200 WALL 15@300 HEF 10@300 VEF ADD 4–25H@ T&B ADD 4–25 VEE ▲					300x600 10–30	800x300 10–30		300 WALL 10@200 HEF 10@200 VEF ADD 4–20H @ T&B ADD 4–25 VEE ▲	300 WALL ADD 4–25 VEE ▲	300 WALL 10@200 HEF 10@200 VEF ADD 4–20H@ T&B ADD 4–25 VEE ▲	200 WALL 15@250 HEF 10@300 VEF ADD 4–25H@ BOT ADD 4–25 VEE ▲	250 WALL 10@200 HEF 10@200 VEF ADD 4–25 VEE ▲		250 WALL ADD 4–20H@ T&B ADD 4–25 VEE ▲	250x600 6–20	200 WALL 10@200 HEF 10@200 VEF ADD 4–20H @ BOT ADD 4–25 VEE ▲	3250 2ND FLOOR
		SLAB				BEAM		BEAM		300 WALL 15@250 HEF 10@200 VEF	300 WALL 15@250 HEF 10@200 VEF	SLAB	SLAB	SLAB	BEAM–SLAB			SLAB	SLAB
4250 GROUND	f'c=35 MPa	250 WALL 15@200 HEF 10@200 VEF ADD 4–25 H @ T&B ADD 4–25 VEE ▲								ADD 4–25 H @ T&B ADD 4–25 VEE ▲	ADD 4–25 H @ T&B ADD 4–25 VEE ▲	RAMP WALL		250 WALL 15@200 HEF 10@200 VEF ADD 4–20H @ T&B ADD 4–25 VEE ▲	300x600 10–30				
EL. 0.000		BEAM								SLAB	SLAB			SLAB	BEAM				
DATA / COL. No.	f'c	M.1–M.3x				Lx 13	M.10x–M.13	Mx 13	M.12/13–M.14	My.12–My.14	My.3x–My.5	My.3x–N.3x	My.5–N.5	N 1/2	N.2–N.5	N.11–N.13	Ny 2	P.1–P.3	N.3–Q.3

COL. No. / DATA	f'c	BEAM	SLAB	Q 3z	DATA / COL. No.
UPPER ROOF					UPPER ROOF
4350 PENTHOUSE					4350 PENTHOUSE
3470 14TH FLOOR					3470 14TH FLOOR
3250 13TH FLOOR					3250 13TH FLOOR
2950 12TH FLOOR					2950 12TH FLOOR
3050 11TH FLOOR					3050 11TH FLOOR
2950 10TH FLOOR					2950 10TH FLOOR
3050 9TH FLOOR					3050 9TH FLOOR
2950 8TH FLOOR					2950 8TH FLOOR
2950 7TH FLOOR					2950 7TH FLOOR
2950 6TH FLOOR					2950 6TH FLOOR
3050 5TH FLOOR					3050 5TH FLOOR
2790 4TH FLOOR					2790 4TH FLOOR
2790 3RD FLOOR					2790 3RD FLOOR
3250 2ND FLOOR					3250 2ND FLOOR
4250 GROUND				450x450 8–25	4250 GROUND
EL. 0.000					EL. 114.75
DATA / COL. No.	f'c	L.3x–Q.3x	L/LX.7–Q.7	Ny.3x–Ny.3y	DATA / COL. No.

RAMP WALL

1219x914

C:\Projects\13015 ALEXANDRA PARK BLOCK-11\STRUCTURE\S-201-S-205 COL &WALL.dwg, 2015-07-28 9:45am

Jablonsky, Ast and Partners
CONSULTING ENGINEERS
1129 LESLIE STREET
DON MILLS, ONT., M3C 3K5
TEL 416-447 7405
FAX 416-447 2771
E-mail jap@astint.on.ca

PROFESSIONAL ENGINEER P.F. AST 13015 PROVINCE OF ONTARIO

FIRST FLOOR ELEV. 93.60m

no.	issued / revised	date:
1	ISSUED FOR PERMIT	2014-05-30
2	RE ISSUED FOR PERMIT	2014-07-15
3	ISSUED FOR FORMING TENDER	2014-08-27
4	CONSTRUCTION REVIEW	2014-12-18
5	RE ISSUED FOR PERMIT	2015-01-27
6	ISSUED FOR CONSTRUCTION	2015-03-18
7	UPDATED - IFC	2015-04-20
8	UPDATED - IFC	2015-05-21
9	ISSUED FOR SI-9	2015-07-28

ALEXANDRA PARK - BLOCK 11
TORONTO, ONTARIO

project no:	13015
scale:	AS NOTED
drawn by:	H.W.
reviewed by:	H.P.
date started:	MARCH 2014

COLUMN & WALL SCHEDULE

S-205

2015-07-28