


LEVEL P1 MEZZ. FRAMING PLAN
1:100

- TOP OF LEVEL 1 MEZZANINE FLOOR STRUCTURAL SLAB TO BE 50 mm ON FINISHED GROUND FLOOR DATUM ELEVATION FROM THE STRUCTURAL SLAB STEPS AT THE EDGE OF GROUND FLOOR. SEE PLAN AND DETAIL FOR ELEVATION CHANGES. SEE ALSO ARCHITECTURAL DRAWINGS AND ANNOTATED DIMENSIONS FOR GARAGE ROOF ELEVATIONS AND SLOPES TO BRAMS.
- THE STRUCTURAL SLAB HAS BEEN DESIGNED FOR THE FOLLOWING LIVE LOADS (LL) AND SUPERIMPOSED DEAD LOADS (DL) IN ADDITION TO SELF WEIGHT:

STAIRS / LIFT SHAFTS	AREA	SLAB
STAIRS / LIFT SHAFTS	AREA	SLAB
- CONCRETE SHALL MEET THE REQUIREMENTS FOR CLASS C1 EXPOSURE AND SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 35 MPa AT JOINTS. REFER ALSO TO COLUMN AND WALL SCHEDULES. SEE ALSO CONCRETE MIX SPECIFICATIONS ON FOUNDATION PLAN.
- CONCRETE COVER FOR TOP BARS IN SLABS TO BE 25 mm. CONCRETE COVER FOR BOTTOM BARS IN SLABS TO BE 50 mm.
- APPROVAL MUST BE OBTAINED FROM ENGINEER FOR ALL OPENINGS OTHER THAN THOSE SHOWN ON PLAN.
- THE PROJECT SUPERINTENDENT MUST CONTACT THE OFFICE 48 HOURS PRIOR TO PLACING STRUCTURAL CONCRETE FOR A REVIEW OF PREPARATION.
- SEE TYPICAL DETAIL FOR LIFT SHAFTS AND LIFT SHAFT WALLS AND DOOR WALLS.
- SEE ARCHITECTURAL DRAWINGS AND MECHANICAL DRAWINGS FOR CURBS, RAMP FORCES AS PER TYPICAL DETAIL.
- SEE COLUMN AND WALL SCHEDULES.
- SEE ALSO TYPICAL NOTE AND SEE THE DRAWINGS.
- REFER TO BEAM SCHEDULES.
- WHERE SHOWN CHAMFER ALL EXPOSED EDGES OF COLUMN, WALLS, BEAMS & CROPS.
- WHERE BOTTOM STEEL NOT SHOWN, PROVIDE CONTINUOUS TEMPERATURE STEEL, HOOKED AT EDGE OF SLAB AND OPENINGS.

TLL = TOP UPPER LAYER	
TLL = TOP LOWER LAYER	
ULL = TOP UPPER LAYER	
ULL = BOTTOM LOWER LAYER	

REINFORCEMENT PLACEMENT DIAGRAM			
SLAB	INTEGRITY BARS	200 MM	
CONCRETE STRENGTH	35 MPa	200 MM	
TEMP. STEEL	200 MM	200 MM	
SLAB	INTEGRITY BARS	200 MM	
CONCRETE STRENGTH	35 MPa	200 MM	
TEMP. STEEL	200 MM	200 MM	
SLAB	INTEGRITY BARS	200 MM	
CONCRETE STRENGTH	35 MPa	200 MM	
TEMP. STEEL	200 MM	200 MM	
SLAB	INTEGRITY BARS	200 MM	
CONCRETE STRENGTH	35 MPa	200 MM	
TEMP. STEEL	200 MM	200 MM	



4	BUILDING PERMIT	SEPT 21, 2015
3	BUILDING PERMIT	JULY 22, 2015
2	BUILDING PERMIT SUBMISSION	JUNE 12, 2015
1	ISSUED FOR REVIEW	MAY 12, 2015

AQUAVISTA
AT BAYSIDE TORONTO

Drawing Title
**LEVEL P1 MEZZANINE
FRAMING PLAN**

Project
Hines TRIDEL
AQUAVISTA
Block 3 - R3 & R4
Merchant's Wharf
Toronto, ON

As indicated	Drawn by
DC	Checked by
PC/BBS	Project No.
20140031	Project No.
SEPT 21, 2015	Date
1	Drawing No.

S1-05