







LIGHTING SPECIFICATIONS

14008 R3 + R4 Aquavista

Issued for Rendering Coordination 14.09.04





ITEM					SPECIFICS					CONTACT	
Issue /Date	Ref	Reference Image	Item	Location	Manufacturer	Model/Product #	Lamp Type	Finishes	Notes	Supplier	Telephone
14.08.08	L1.		Adjustable Wall Washer	L1 East & West Lobby	Cooper Lighting	MLV3077 Adjustable Wall Wash	Die cast trim wall wash trim w/ black baffle 35° adjustability halogen MR16 12 volts 75 watts max.	Black	Install as per manufacturer's instructions.		
14.08.08	L.2		Recessed Trimless	L1 East & West Lobby	Architectural Lighting Works	RCS-1-CZEN20-INT-N-120-BK-BK	1 x 30W LED 2000Lm 3000K (Included) 120V RCS Recessed LED Downlight, Double Gimbal	Trimless; Black Gimbals Black Interiors	Install as per manufacturer's instructions.	DeltaLight www.deltalight.ca	905.813.6130
14.08.08	L.3		Recessed Trimless	L1 East & West Lobby	Architectural Lighting Works	RCS-2-CZEN20-INT-N-120-BK-BK	2 x 30W LED 2000Lm 3000K (Included) 120V Double Head RCS Recessed LED Downlight, Double Gimbal Aiming, Trimless Finish	Trimless; Black Gimbals Black Interiors	Install as per manufacturer's instructions.	TPL Contact: Mike Hamilton	416.238.9793
14.08.08	L.4		Linear Light	L1 East & West Lobby	3G Lighting	3G-CSLED-45W-35K-20D-120-E-XTR-BK-BK-S	8 x 45W LED 3000Lm 3500K (Included) 120V Linear Trimless Continuous Slot with 4 Clusters of 2 Fixtures Heads Spaced Across the Troff, Double Gimbal Heads	Trimless; Black Gimbals Black Interiors	Install as per manufacturer's instructions. See Design Plan For Dimensions	TPL Contact: Mike Hamilton	416.238.9793



LIGHTING SPECIFICATIONS

14008 R3 + R4 Aquavista

Issued for Rendering Coordination 14.09.04





ITEM					SPECIFICS					CONTACT	
Issue /Date	Ref	Reference Image	Item	Location	Manufacturer	Model/Product #	Lamp Type	Finishes	Notes	Supplier	Telephone
14.08.08	L.5		Surface Mounted Light	L1 East & West Lobby	Delta Light	Boxter 1 LED 3033 6 202 78 8122	Adjustable, Power LED White 7W CRI >80 / 3000K / 660lm Reflector FL-33 LED Power Supply, 350mA-DC	Black	Install as per manufacturer's instructions.	DeltaLight www.deltalight.ca	905.813.6130
14.08.08	L.6		Recessed Downlight	L1 East & West Lobby	3G Lighting	3G-RC1LED-45W-35K-20D-120 E-XTR-WG-WH	1 x 45W LED 3000lm 3500K (Included) 120V Single Lamp Square Recessed, Double Gimbal LED Downlight, Trimless Finish, New Construction Housing	Black Gimbals White Housing	Install as per manufacturer's instructions.	TPL Contact: Mike Hamilton	416.238.9793
14.08.08	L.7		Cove Light	L1 East & West Lobby Pop-Up Bulk-Heads	Lemenpulse	LCN HO-120- ** - 35K-WH-DIM	6W Per Linear Foot 3500K (Included) 120V Lumencove Nano Series, Plug and Play Instollation, 0-10V Dimmable, LED Cove Fixture	White	Install as per manufacturer's instructions.	Liteform International Inc. Contact: Anthony	905.564.2090
14.08.08	L.8		Cove Light	L1 East & West Lobby Dropped Bulk-Heads	Lemenpulse	LCN HO-120- ** - 35K-WH-DIM	6W Per Linear Foot 3500K (Included) 120V Lumencove Nano Series, Plug and Play	White	Install as per manufacturer's instructions.	Liteform International Inc. Contact: Anthony	905.564.2090



LIGHTING SPECIFICATIONS

14008 R3 + R4 Aquavista

Issued for Rendering Coordination 14.09.04





ITEM					SPECIFICS					CONTACT	
Issue /Date	Ref	Reference Image	Item	Location	Manufacturer	Model/Product #	Lamp Type	Finishes	Notes	Supplier	Telephone
14.08.08	L.9		Chandelier	L1 Mailroom	Restoration Hardware	Harlow Crystal 31" Chandelier 68290537	7 x 25W max. candelabra bulbs T6 Filament Bulbs	Grey Iron	Install as per manufacturer's instructions.		
14.08.08	L.10		Chandelier	L1 East & West Lobby Elevator Corridor	Restoration Hardware	Harlow Crystal 43" Chandelier 68290535	10 x 25W max. candelabra bulbs T6 Filament Bulbs	Grey Iron	Install as per manufacturer's instructions.		
14.08.08	L.11	 Reference Image only	Surface Mounted Light	P1 Fitness, Yoga & Spin	Axis Lighting	Beam 2 - BSLED	M11 LED - 3500K	Custom colour: Black Powdercoat	Install as per manufacturer's instructions.		
14.08.08	L.12		Waterproof Ceiling Recessed Light	Sauna					Install as per manufacturer's instructions.		
14.08.08	L.13		Linear LED	Sauna	Magnitude Lighting Converters	M20L24DC-AR	VarioLED Flex ECO LD3 IP67 - W835	N/A	Install as per manufacturer's instructions.		
14.08.13	L.14		Picture Light	Fitness & Spin room	Danalite	E6.3.0 Linear LED Display - 2" Round Canopy Solo Fixture - Frosted Lense	LED - Solo - Standard Output - 3000K	Black Paint finish	Install as per manufacturer's instructions.		



LIGHTING SPECIFICATIONS

14008 R3 + R4 Aquavista

Issued for Rendering Coordination 14.09.04


ITEM					SPECIFICS					CONTACT	
Issue /Date	Ref	Reference Image	Item	Location	Manufacturer	Model/Product #	Lamp Type	Finishes	Notes	Supplier	Telephone
14.08.13	L.15		Light Fixture	Elevator Lobby	Custom	TBD		N/A	Install as per manufacturer's instructions.		
14.08.13	L.16		Light Fixture	L2 Billiards Room		Serge Mouille Ceiling Lamp - 3 Arm			Refer to plan for location Each shade should be 305 dia and 610 apart (center to center) 32" off the pool table top	DWR	
14.08.13	L.17		Light Fixture	L2 Bar/ Lounge	Lindsey Adelman	BB.08.03	Double Loop Edison, e26/e12 - 40w/60w	Clear glass with Vintage Brass	Refer to plan for location See cut Sheet for dimensions	Hollace Cluny	Contact: Susan Fowlie (416) 968-7894
14.08.13	L.18		Light Fixture	L2 Amenity Dining	Brabbu	Horus Suspension Light		Clear glass with copper accents	Refer to plan for location See cut Sheet for dimensions	Hollace Cluny	Contact: Susan Fowlie (416) 968-7894
14.08.13	L.19		Suspension Light Fixture	L1 East Lobby	Terzani	Dodo Arslan	Halogen 12V 12x20W G4	Stainless Steel 0N92SE7 C8	Refer to plan for location See cut Sheet for dimensions	Brabbu	



LIGHTING SPECIFICATIONS

14008 R3 + R4 Aquavista

Issued for Rendering Coordination 14.09.04

ITEM					SPECIFICS					CONTACT	
Issue /Date	Ref	Reference Image	Item	Location	Manufacturer	Model/Product #	Lamp Type	Finishes	Notes	Supplier	Telephone
14.08.15	L.20		Recessed Adjustable Down Light	L2 Amenities	3G Lighting	Recessed - Round Trim 4' LED - 3G-RC1LED-4RD	11W - 930 LUMENS - 30K-3000K - 120V - Dimming driver	White Trim, Black Gimbal, Black Housing Interior	Refer to plan for location See cut Sheet for dimensions	TPL	Contact: Mike Hamilton mike@tpllighting.com

