



LEGEND : WALL TYPES

SYMBOL	DESCRIPTION
(Symbol: Dashed line)	TYPICAL PARTITIONS
(Symbol: Solid line)	EXISTING WALLS TO BE MADE GOOD WHERE REQUIRED.
(Symbol: Dotted line)	PARTITIONS TO BE 25mm METAL STUDS @ 400mm O.C. W/ BRACING AS REQ'D C/W ONE LAYER OF 12mm GYPUM WALLBOARD ONE OR BOTH SIDES AS REQ'D TO 10% DEFLECT. ALLOW 200mm TYPICAL WALL THICKNESS. WALLS TO ACCOMMODATE PLUMBING, DBB TO BE TAPED, FILLED, AND SANDED SMOOTH READY TO RECEIVE NEW FINISHES.
(Symbol: Dotted line with cross-hatch)	SAME AS ABOVE - PLUS MIN. 50-50 SOUND BATTING TYPE INSULATION - TAPED, PLASTER & SANDED, READY TO RECEIVE WALL FINISH.
(Symbol: Dotted line with diagonal lines)	PARTITIONS TO BE 25mm METAL FURRING CHANNELS OR ESTER STEEL SIDES AS REQUIRED TO ACHIEVE DESIGN INTENT) @ 400MM O.C. W/ BRACING AS REQ'D C/W ONE LAYER OF 12mm GYPUM WALLBOARD ONE SIDE AS REQ'D TO 10% DEFLECT. CEILING, DBB TO BE TAPED, FILLED, AND SANDED SMOOTH READY TO RECEIVE NEW FINISHES.

LEGEND : DRAWING SYMBOLS

SYMBOL	DESCRIPTION
(Symbol: Circle with 'X')	DETAIL NUMBER REFER TO 24" X 36" DETAILS
(Symbol: Circle with 'X' and '01.01')	DETAIL NUMBER REFER TO 11" X 11" DETAILS
(Symbol: Circle with 'X' and '01.02')	DETAIL NUMBER REFER TO 24" X 36" ELEVATIONS
(Symbol: Square with 'E')	EQUIPMENT CODE REFER TO 11" X 11" EQUIPMENT SPECIFICATIONS
(Symbol: Square with 'D')	DOOR CODE REFER TO 11" X 11" DOOR SPECIFICATIONS

PARTITION NOTES

- THE DRAWING IS TO BE READ IN CONJUNCTION WITH ARCHITECTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS AND SPECIFICATIONS. REPORT DISCREPANCIES TO THE DESIGNER FOR CLARIFICATION.
- CONTRACTOR IS RESPONSIBLE FOR FIELD MEASUREMENTS AND DIMENSIONS. REPORT DISCREPANCIES TO THE DESIGNER FOR CLARIFICATION.
- WORK TO BE CARRIED OUT ACCORDING TO RELEVANT CODES, STANDARDS AND AS PER SPECIFICATIONS ISSUED BY THE DESIGNER.
- CONTRACTOR MUST OBTAIN CONSTRUCTION PERMITS REQUIRED BY RELEVANT AUTHORITIES BEFORE THE COMMENCEMENT OF WORK.
- DIMENSIONS ARE TAKEN FROM FACE OF FINISHED PARTITION TO FACE OF FINISHED PARTITION UNLESS OTHERWISE NOTED.
- DIMENSIONS TAKEN FROM THE CORE, COLLARS OR CONNECTORS ARE TAKEN FROM THE FACE OF THAT ARCHITECTURAL ELEMENT TO THE CENTRE OF THE PARTITION.
- NEW PARTITIONS TO BE FIELD FINISHED TO CLEAN CORNERS. SUB PARTITIONS TO BE TAPED, SANDED SMOOTH AND MADE READY TO RECEIVE FINISHES.
- DRYWALL PARTITION EDGES TO BE SMOOTH AND PLUMB LINE TRUE.
- CONTRACTOR TO ENSURE VARIOUS PARTITION THICKNESSES TO COORDINATE WITH DOOR FRAME SIZES. REPORT DISCREPANCIES TO THE DESIGNER FOR CLARIFICATION.
- CONTRACTOR TO ENSURE SUFFICIENT BLOCKING IS PROVIDED IN AREAS REQUIRING SUPPORT OF THE PARTITION OR CEILING FOR MOUNTED EQUIPMENT OR MATERIALS.
- CONTRACTOR TO ENSURE FLOOR IS LEVEL PRIOR TO CONSTRUCTION OF PARTITIONS. PROVIDE SINK COAT IF NECESSARY. FINISHES NOT TO EXCEED 3/16" IN AREA WHERE FILING CABINETS OR SHELVING UNITS ARE TO BE LOCATED. REFER TO FURNITURE PLAN FOR CABINET LAYOUTS.
- CONTRACTOR TO REPAIR DAMAGE TO EXISTING FIRE SEPARATION WITHIN THE AREA SCOPE OF WORK.
- CONTRACTOR TO REFER TO MECHANICAL DRAWINGS TO ENSURE PROVISION FOR AIR TRANSFER OPENINGS ABOVE CEILING PARTITION CONSTRUCTION.
- CONTRACTOR TO ENSURE ADEQUATE CALLING IS PROVIDED AT PARTITION CONNECTORS TO COLLARS, CORE, FINISHED CEILING, FLOOR SLAB AND JOYS OF STRUCTURE.
- MATERIALS USED SHALL BE NEW UNLESS OTHERWISE NOTED.
- LOCATIONS WHERE BASE BUILDING PARTITIONS OR COLLARS ARE TO RECEIVE ELECTRICAL CONDUIT AND BOXES, GENERAL CONTRACTOR IS RESPONSIBLE FOR FLOORING, CUTTING, PATCHING AND FINISHING AS PER SPECIFICATIONS AT COMPLETION OF ELECTRICAL WORK.
- REFER TO ARCHITECT'S PERMIT DRAWINGS FOR ALL PARTITION TYPES, PARTITION LOCATIONS AND DOOR SCHEDULE.

Notes

- CONTRACTOR AND ALL SUB-TRADES SHALL VERIFY ALL SITE DIMENSIONS. ALL DRAWINGS, DETAILS AND SPECIFICATIONS AND REPORT ANY DISCREPANCIES TO THE INTERIOR DESIGNER IN WRITING FOR APPROVAL BEFORE PROCEEDING WITH THE WORK.
- CONTRACTOR AND SUB-CONTRACTORS, BEFORE PROCEEDING WITH WORK, MUST SUBMIT ALL NECESSARY SAMPLES FOR APPROVAL OF QUALITY AND FINISH TO THE INTERIOR DESIGNER.
- CONTRACTOR MUST COMPLY WITH THE CONTRACT DOCUMENTS, PERFORMANCE REQUIREMENTS, APPLICABLE CODES AND REGULATIONS.
- ALL DRAWINGS AND WRITTEN MATERIAL HEREIN CONSTITUTES THE ORIGINAL AND UNPUBLISHED WORK OF "IBY DESIGN ASSOCIATES INC." AND MAY NOT BE REPRODUCED, COPIED OR DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF "IBY DESIGN ASSOCIATES INC."
- DRAWINGS NOT TO BE SCALED

Issue

01 ISSUED FOR COORDINATION	15.04.09
02 ISSUED FOR COORDINATION	15.04.13
04 ISSUED FOR COORDINATION	15.11.11

Hines TRIDEL

AQUAVISTA
AT BAYSIDE TORONTO
1 EDGEWATER DRIVE, TORONTO ONTARIO

IBY DESIGN

77 MOWAT AVENUE, SUITE 109
TORONTO, ONTARIO M6K 3E4 CANADA
T + 1 416 531 2224

12 DEERBROOKS STREET
NEW YORK, NEW YORK 10013 USA
T + 1 212 392 4952

Drawing Title:
LEVEL 7
CONSTRUCTION PLAN

Our Project Number:
1400B

Designed By: DMJ/NR/VVW
Drawn By: DMJ/NR/VVW

Drawing Number:
ID2.13