



Home Products Baking and steam cooking Ovens H 6680 BP



H 6680 BP

30 inch oven with touch controls and MasterChef programs for perfect results.

- TFT clear text display with touch operation - SensorTronic ⓘ
- Perfect results with ease - - MasterChef Programs ⓘ
- Minimal cleaning effort - Pyrolytic cleaning ⓘ
- Easy handling thanks to FlexiClip fully telescopic runners ⓘ
- Plenty of room and versatility - 131 litre oven capacity



Price: \$ 6,399.00\*

\* Excludes all applicable taxes and delivery charges

[Find a retailer](#)



**FREE**  
C2 Canada  
Special Vacuum

Receive a FREE C2 Canada Special Vacuum (Limit of one (1) per household), or

[Learn more](#)

**SAVE UP TO**  
**10%**  
+  
**FREE**  
**C2 VACUUM**

SAVE up to 10% with the Miele Complete Cooking Program AND receive a FREE C2 Canada Special Vacuum (Limit of one (1) per household)!

[Learn more](#)

Product details - H 6680 BP

Construction type <span style="float:right">^</span>	
Built-in oven	•
Design <span style="float:right">^</span>	
PureLine	•
Colour	Stainless steel/Clean Steel
Display	SensorTronic
Convenience features <span style="float:right">^</span>	
Precise temperature regulation	30 - 300°C
Food probe	• ⓘ
Operating modes <span style="float:right">^</span>	
Auto roast	• ⓘ
Defrosting	• ⓘ
Automatic programmes	More than 100

Gentle bake	• ⓘ
Grill	•
Broil	• ⓘ
Convection Bake	• ⓘ
Intensive bake	• ⓘ
Low temperature cooking	• ⓘ
Surround	• ⓘ
Top heat	• ⓘ
Bake	• ⓘ
Convection Broil	• ⓘ
Special applications	• ⓘ

User convenience		^
Individual language selection	•	
Automatic programme search function	•	
Timer function	• ⓘ	
Date display	•	
Minute minder	•	
Clock buffer in h	200	
Start-stop programming	• ⓘ	
Safety switch-off	•	
Programmable cooking duration	• ⓘ	
Value entry via number pad	•	
Actual temperature display	•	
Recommended temperature	•	
Buzzer when desired temperature is reached	•	
User programmes	20	
Sabbath programme	• ⓘ	
Individual settings	• ⓘ	

Door		^
CleanGlass door	• ⓘ	
Lever handle	•	
Door contact switch	•	
Door hinge	Bottom	

Oven compartment		^
Oven compartment volume in l	4.59 (130)	
No. of shelf levels	6	
Numbered shelf levels	•	
No. of halogen lamps	double	

Cleaning convenience		^
Stainless steel front with CleanSteel finish	• ⓘ	
Pyrolytic self-cleaning	•	
Unheated catalyser	• ⓘ	
Hinged grill heater element	•	

Efficiency and sustainability		^
Energy-saving lighting	•	

Residual heat utilisation	• ⓘ
---------------------------	-----

Rapid heat-up	• ⓘ
---------------	-----

Safety	^
--------	---

Appliance cooling system and touch-cool fronts	• ⓘ
--	-----

Safety switch-off	• ⓘ
-------------------	-----

System lock	•
-------------	---

Door lock during pyrolytic cleaning	•
-------------------------------------	---

Technical data	^
----------------	---

Niche width in in.(mm)	28 5/8 (724)
	-
	28 5/8 (724)

Niche height in in.(mm)	28 1/4 (717)
	-
	28 1/4 (717)

Niche depth in in.(mm)	24 1/8 (610)
------------------------	--------------

Appliance width in in.(mm)	28 3/8 (720)
----------------------------	--------------

Appliance height in in.(mm)	28 (711)
-----------------------------	----------

Appliance depth in in.(mm)	23 5/8 (597)
----------------------------	--------------

Weight in kg	83.7
--------------	------

Voltage convertible in V	240/208
--------------------------	---------

Voltage in V	120
--------------	-----

Fuse rating in A	30
------------------	----

Number of phases	1
------------------	---

Standard accessories	^
----------------------	---

Universal tray with PerfectClean	1
----------------------------------	---

Baking and roasting rack PyroFit	3
----------------------------------	---

Side racks PyroFit	1 pair
--------------------	--------

Mains cable	•
-------------	---

Mains plug	•
------------	---

\* Excludes all applicable taxes and delivery charges

Subject to technical changes; no liability accepted for the accuracy of the information given!